EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
22	13	20 and (correlat\$3 or match\$3 adj2 filter \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10 18:51
L23	182	(decod\$3) near4 (control\$4 near3 sampler\$1 or control\$4 near3 ADC \$1 or control \$4 near3 "A/ D" or control \$4 near3 digital adj1 conver\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10 18:56
L24	575	(decod\$3) near4 (control\$4 near3 sampl \$3 or control \$4 near3 ADC\$1 or control\$4 near3 "A/D" or control\$4 near3 digital adj 1 conver\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10 18:58
L25	106	24 and (correlat\$3 or match\$3 adj2 filter \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10 18:58

L26	146	(decod\$3) near4 (control\$4 near3 clock \$3 or control \$4 near3 oscillat\$4 or control\$4 near3 VCO \$1 or control \$4 near3 VCO\$1 or control\$4 near3 NCO \$1 or control \$4 near3 signal adj1 XVCO\$1 or control\$4 near3 NCO \$1 or control \$4 near3 signal adj2 generat\$4 or control\$4 near3 local adj2 generat \$4 or control \$4 near3 PLL\$1) same (ADC \$1 or "AD" or "A'D" or sampler\$1 or digital adj1 conver \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10
L27	23	26 and (correlat\$3 or match\$3 adj2 filter \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10 19:18

128	146	near4 (control\$4 near3 clock \$3 or control \$4 near3 clock \$3 or control \$4 near3 VOO \$1 or control\$4 near3 VOO \$1 or control\$4 near3 digital adj 1 XVOO\$1 or control\$4 near3 NOO \$1 or control\$4 near3 signal adj2 generat\$4 or control\$4 near3 local adj2 generat\$4 or control\$4 near3 CLK \$1 same (ADC\$1 or "AD" or "AD" or "AD" or "AD" or digital adj1 conver \$4)	IBM_TDB	OR	OFF	2008/04/10 19:32
1.29	148	\$3 or control	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10 19:33

		near3 NCO \$1 or control \$4 near3 signal adj2 generat\$4 or control\$4 near3 local adj2 generat \$4 or control \$4 near3 PLL\$1 or control\$4 near3 CLK \$1) same (ADC\$1 or "AD" or "AD" or "AD" or "Sampler\$1 or digital adj1 conver \$4)				
L30	87	detect\$3 or RF adj2 detect\$3 or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10 19:35

4/10/2008 7:37:22 PM

C:\ Documents and Settings\ ebayard\ My Documents\ EAST\ Workspaces \ 11285414.wsp